



# Infinity Panel User Guide

---

This guide has been written to help you get the most from your Infinity Panel. Please ensure that you read this fully as it contains important information on fixing the panel to your wall. Failure to follow this advice may result in damage to the panel and invalidate your warranty.

**Keep this guide in a safe place for future reference.**

# Contents

---

Unpacking	3
Setting up	4
Potential risks & warnings	5
Contact details	6

# Unpacking

---

1. Infinity Panel are shipped in specialist packaging, designed to protect the wall from damage during transport.
2. Ensure that the packaging is carefully removed from around the Infinity Panel. Keep the packaging in case the Infinity Panel needs to be returned.
3. Take care not to lift the Infinity Panel by the sides as this can cause damage. Always lift from the top and bottom.
4. The power supply may be supplied in a separate box.
5. If you find any damage when you unpack you should report it within **7 days** to your supplier.

# Setting up

---

1. The Infinity Panel must be attached to a solid wall using fixings appropriate to the construction of the solid wall.
2. Attach the metal bar to the wall, ensuring accurate measurements. The Infinity Panel should be hung on this bar once it is attached to the solid wall correctly.
3. Ensure that the power supply is sited at an adequate distance from the Infinity Panel and that there is no tension in the power cable. The cable should never be coiled around the power supply, as this may cause it to overheat.
4. The Infinity Panel is now ready to use.

# Potential risks & warnings

---

1. Read and understand all these instructions before using the Infinity Panel.
2. Do not operate the panel with a damaged power cord, or if the unit has been dropped or damaged.
3. Position the power cord so that it will not be tripped over, pulled or come into contact with hot surfaces.
4. If an extension lead is necessary, a cable with a current rating at least equal to that of the wall (3.5A) should be used.
5. Always unplug the wall from the power socket before cleaning, servicing and when not in use. Never yank the cord to pull the plug from the outlet. Grasp the plug and pull to disconnect.
6. Always connect the Infinity Panel to a grounded outlet.
7. To reduce the risk of electrical shock, do not immerse the product in water or other liquids.
8. Do not dismantle the Infinity Panel, but contact the supplier or manufacturer if servicing is required. Incorrect assembly can cause electrical shock when the product is used.

This Infinity Panel is supplied by:



Manufactured by:

Apollo Creative  
Knaresborough Technology Park  
Manse Lane  
Knaresborough  
North Yorkshire  
HG5 8LF

**T:** 01423 798232

**E:** [sales@apollocreative.co.uk](mailto:sales@apollocreative.co.uk)

**W:** [www.apollocreative.co.uk](http://www.apollocreative.co.uk)

